INDEX MAPS.

T. 16 N, R. 11 E. 2nd Mer.



T. 5 N, R. 12 E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No. 16 North, Range No. 11 East 2d. Mer. Indiana

chs. lks.

South Boundary. var. 6°.05' E.

West On S. boundary of Sec. 36. T16 N. R11 E.
17.70 a Beech 14 in. diam.
31.68 a Brook 14 lks. wide course N.E.
40.00 Set qr. Sec. post, from which
a Beech 11 in. diam. bears N60E 30 lks. dist. &
a Do. 24 " " " N67W 19 " "
55.11 an Oak 20 " "
80.00 Set post Cor. to Secs. 35 & 36, from which
an Oak 18 in. diam. bears N68E 48 lks. dist. &
an Elm 16 " " " N87W 45 " "
Over good farming land, timber Beech, Sugar, Oak, Ash &c. underg. Spice

---

West On S. boundary of Sec. 35
28.95 an Oak 12 in. diam.
40.00 Set qr. Sec. post, from which
a Hickory 15 in. diam. bears N12E 10 lks. dist. &
a Hornbeam 6 " " " S41E 9 " "
80.00 Set post Cor. to Secs. 34 & 35, from which
an Elm 22 in. diam. bears S59E 14 lks. dist. &
an Ash 12 " " " S69W14 " "
Over level wet land, timber Ash, Elm, & Beech

West On S. boundary of Sec. 34
13.40 a Beech 14 in. diam.
40.00 Set qr. Sec. post, from which
an Elm 6 in. diam. bears N18E 3 lks. dist. &
a Beech 20 " " " S56W 8 " "
57.95 a Beech 18 " "
80.00 Set post Cor. to Secs. 33 & 34, from which
a —— 13 in. diam. bears N48E 35 lks. dist. &
a —— 10 " " " S23W5 " "
Over level wet land, timber Oak, Beech, Ash &c. underg. Spice

---

West On the S. boundary of Sec. 33

T16N—R11E. 2nd. Mer. Indiana

Ch. lks.	
30.90	an Elm 13 in. diam.
37.60	a Creek 20 lks. wide Course S.
40.00	Set q. Sec. post, from which
	a Beech 6 in. diam. bears N70W 16 lks. dist. of
	a Gum 24 " " " S85E 17 " "
52.24	a Beech 20 " "
66.10	a Brook 3 lks. wide Course S.
80.00	Set post Cor. to Sec. 32 & 33, from which
	a Beech 10 in. diam. bears S86E 34 lks. dist. of
	a Buckeye 10 " " " N86W 33 " "
	Over rough land, timber Ash, Beech, Sugar &c.
	undergth. Spice &c

West	On the S. boundary of Sec. 32
15.58	a Beech 24 in. diam.
40.00	Set q. Sec. post, from which
	an Elm 24 in. diam. bears S50E 14 lks. dist. of
	a Do. 24 " " " N77W 15 " "
75.70	a Walnut 48 " "
80.00	Set post Cor. to Sec. 31 & 32, from which
	an Ironwood 10 in. diam. bears N82E 12 lks. dist. of
	a Hornbeam 10 " " " N89W 6 " "
	Over rich land, timber as before.

West	On S. boundary of Sec. 31
9.30	an Ash 14 in. diam.
40.00	Set q. Sec. post, from which
	a Beech 12 in. diam. bears S81E 20 lks. dist. of
	a Do. 10 " " " S79W 12 " "
59.10	Intersected the W. boundary at the Corner of
	Townships 15 & 16 North, Ranges 10 & 11 East.
	Land timber &c. Same as on the last mile

July 16th 1879

James H. McDonald

Deputy Surveyor

T16 N R11 E. 2nd Mer. Indiana

ch. lks.

East Boundary. var. 6.15' E.

North On East Boundary of Sec. 36
17.25 a Brook 4 lks. wide Course East
37.00 a Creek 40 lks. wide Course —
40.00 Set qr. Sec. post, from which
a Sugar 8 in. diam. bears S4 E15 lks. dist. &
an Elm 18 " " " S80 W4 " "
74.22 a Beech 12 " "
80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 18 in. diam. bears S15 W19 lks. dist. &
a Do. 18 " " " N40 W23 " "
Over good farming land, timber Beech, Sugar, ash &c. undergr. Spice &c

---

North On E. boundary of Sec. 25
37.12 a Sugar 24 in. diam.
40.00 Set qr. Sec. post, from which
a Sugar 12 in. diam. bears S18 E32 lks. dist. &
a Do. 7 " " " S30 E17 " "
64.50 a Beech 15 " "
80.00 Set post Cor. to Sec. 24 & 25, from which
a Cherry 8 in. diam. bears S15 E23 lks. dist. &
a Beech 12 " " " N37 W25 " "
Over level land, timber, Elm, Hickory, Beech &c.

North On E. boundary of Sec. 24
16.50 a Brook 15 lks. wide Course E.
27.40 a Creek 40 lks. wide Course E.
40.00 Set qr. Sec. post, from which
a Beech 14 in. diam. bears S12 E17 lks. dist. &
an Ash 24 " " " N59 W10 " "
47.95 a Beech 12 " "
80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 20 in. diam. bears S10 E29 lks. dist. &
a Do. 24 " " " N29 E35 " "
Over good farming land, Beech, Sugar, Ash &c. U.G. Spice

T16 N., R11 E. 2d. Mer. Indiana

chs. lks.	
North	On E. boundary of Sec. 13
30.55	a Beech 12 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 18 in. diam. bears S31W24 lks. dist. &
	a Do. 8 " " " N60E3 " "
62.60	a W. Oak 40 " "
80.00	Set post Cor. to Sec. 12 & 13, from which
	a Beech 26 in. diam. bears S15E45 lks. dist. &
	a Walnut 18 " " " N57E16 " "
	Over good farming land, timber Beech, Sugar,
	Ash, &c., undergwth. Spice.

North	On E. boundary of Sec. 12
6.74	a Creek 20 lks. wide Course S.E.
23.11	a Beech 20 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 30 in. diam. bears N64W4 lks. dist. &
	a Do. 30 " " " S57E16 " "
52.74	an Ash 26 " "
80.00	Set post Cor. to Sec. 1 & 12, from which
	a Hickory 8 in. diam. bears S76E14 lks. dist. &
	a Beech 5 " " " S74W5 " "
	Land timber &c. same as on the last mile

North	On E. boundary of Sec. 1
13.50	a Beech 22 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 12 in. diam. bears S13W27 lks. dist. &
	a W. Oak 18 " " " N40W5 " "
63.33	Intersected the Line of Correction 562 lks. W. of a
	qr. Sec. Cor. Set post Cor. to Towns 16 North, Ranges
	11 & 12 East, from which
	a Beech 20 in. diam. bears N29E18 lks. dist. &
	a Do. 28 " " " S17E17 " "
	Over rich land, timber same as on last mile
	July 15th. 1819 James H. McDonald, U.S.

T16N R11E. 2nd Mer. Indiana

West Boundary var. 7°10'E.

Chs. lks.	
North	On E. boundary of Sec. 36, T16N, R10 E.
25.00	an Oak 13 in. diam.
40.00	Set qr. Sec. post, from which
	a Buckeye 8 in. diam. bears S75E 18 lks. dist. &
	a Hornbeam 10 " " " N78W33 " "
53.00	an Oak 22 in. diam.
80.00	Set post Cor. to Secs. 25 & 36, from which
	a Beech 20 in. diam. bears S58W 5 lks. dist. &
	a Sugar 24 " " " N35E28 " "
	Over level rich land, timber Ash, Beech, Sugar &c. undergr. Spice
North	On E. boundary of Sec. 25, T16N, R10 E.
16.00	a Brook 12 lks. wide Course W.
29.22	a Sycamore 40 in. diam.
40.00	Set qr. Sec. post, from which
	a Sugar 18 in. diam. bears ~~N27W17~~ S9W58 lks. dist. &
	a Beech 24 " " " N27W17 " "
56.22	a Sugar 18 " "
80.00	Set post Cor. to Secs. 24 & 25, from which
	a —— 16 in. diam. bears S80E 36 lks. dist. &
	an Elm 7 " " " N82W15 " "
	Over good farming land, timber as before
North	On E. boundary of Sec. 24, T16N, R10 E
28.83	a Beech 20 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 10 in. diam. bears S39E 27 lks. dist. &
	a Do. 13 " " " S45E28 " "
62.92	a Sugar 14 " "
80.00	Set post Cor. to Secs. 13 & 24, from which
	an Oak 30 in. diam. bears S27E 9 lks. dist. &
	a Beech 16 " " " N43E14 " "
	Land timber &c. same as on the last mile

T16 N. R11 E. 2d. Mer. Indiana

chs. lks.	
North	On E. boundary of Sec. 13, T16 N. R10 E
21.50	a Hickory 18 in. diam.
40.00	Set qr. Sec. post, from which
	a Sugar 12 in. diam. bears S5 E 13 lks. dist. &
	a Do. 10 " " " N11 E 20 " "
73.62	a Beech 18 " "
80.00	Set post Cor. to Secs. 12 & 13, from which
	a Beech 12 in. diam. bears S27 E 20 lks. dist. &
	a Sugar 12 " " " N6 E 13 " "
	Over rolling land, timber as before

North	On E. boundary of Sec. 12, T16 N. R10 E.
20.74	a Creek 50 lks. wide Course S.W.
35.58	a Sugar 12 in. diam.
40.00	Set qr. Sec. post, from which
	a Sugar 8 in. diam. bears S36 E 19 lks. dist. &
	a Cherry 20 " " " N22 W 20 " "
60.59	a Sugar 13 " "
80.00	Set post Cor. to Secs. 1 & 12, from which
	a Beech 13 in. diam. bears S69 W 49 lks. dist. &
	a Do. 14 " " " N5 E 28 " "
	Over good farming land, timber Beech, Sugar,
	Ash &c. undergth. Spice &c

North	On E. boundary of Sec. 1. T16 N. R10 E.
40.00	Set qr. Sec. post, from which
	a Hickory 13 in. diam. bears S21 E 30 lks. dist. &
	a Beech 16 " " " N26 W 48 " "
69.85	Intersected the Line of Correction 21.00 chs. N. of the
	Cor. to Secs. 35 & 36, T17 N. R10 E; Set post Cor. to ~~Secs.~~
	Towns 16 N. Ranges 10 & 11 E, from which
	a Beech 11 in. diam. bears S36 W 32 lks. dist. &
	a Sugar 10 " " " N39 E 22 " "
	Land timber &c. Same as on the last mile
	July 17th 1819 — Surv. H. McDonald D.S.

T16N R11E 2nd Mer. Indiana

Chs. lks.

Subdivision June 9th 1820

North Between Secs. 35 & 36
26.44 a Beech 24 in. diamr. E. diagonal notch
40.00 Set qr. Sec. post, from which
a Beech 22 in. diamr. bears N85W 13 lks. dist. &
a Do. 6 " " " N73E 19 " "
61.17 a Beech 24 " "
80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 20 in. diamr. bears N51W 17 lks. dist. &
a Do. 6 " " " S78E 18 " "
Level rich 2nd rate land, Ash, Elm, Beech, Sugar,
Walnut &c. underg.th Spice &c.

East On Random between Secs. 25 & 36
40.00 Set tempy. qr. Sec. post
61.50 a muddy branch Course S.S.E.
80.89 Intersected the E. boundary 18 lks. S. of the post
Level Swampy 2nd rate land, timber Beech, B. Ash,
Hickory, Sugartree, Elm, Lynn &c. underg.th Spice &c

West Corrected between Secs. 25 & 36.
25.00 a Beech 22 in. diamr.
40.44 Set qr. Sec. post, from which
a Hickory 8 in. diamr. bears S43W 21 lks. dist. &
a Beech 5 " " " N45E 9 " "
54.96 a Sugar 17 " "
80.89 to Sec. Corner.

North Between Secs. 25 & 26
15.25 a Small pond & offset 100 lks. E.
16.75 fell into ~~pond~~ line & left pond
26.41 a Beech 17 in. diamr.
40.00 Set qr. Sec. post, from which
a Lynn 18 in. diamr. bears N38E 13 lks. dist. &
a Sugar 5 " " " S61W 9 " "
60.92 a Beech 24 " "

T 16 N R 11 E. 2nd Mer. Indiana

ch. lks.	
80.00	Set post Cor. to Sec. 23, 24, 25 & 26, from which
	an Elm 20 in. diam. bears N 71 W 6 lks. dist. &
	a Hickory 18 " " " S 77 E 7 " "
	Level rich 2nd rate land, Ash, Shellbark Hickory,
	Sugar, Elm, Bur Oak &c. underg. Spice
East	On Rand. between Sec. 24 & 25
40.00	Set temp. qr. Sec. post
80.58	Intersected the N & S line 171 lks. S. of post
	Land timber &c. same as on the last mile
West	Corrected between Sec. 24 & 25
20.05	a Gray Ash 24 in. diam.
40.29	Set qr. Sec. post, at average dist. from which
	a Beech 19 in. diam. bears S 12 W 10 lks. dist. &
	a Do. 7 " " " N 85 E 16 " "
59.06	a Beech 23 " "
80.58	to Sec. Corner
North	Between Sec. 23 & 24
7.08	a Muddy branch 10 lks. wide Course E. S. E.
20.05	a Hickory 22 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 9 in. diam. bears S 86 W 17 lks. dist. &
	a Do. 14 " " " S 75 E 24 " "
56.00	a Pond 150 lks. wide Course —
66.10	a Beech 24 in. diam. E. diagonal
80.00	Set post Cor. to Sec. 13, 14, 23 & 24, from which
	a Sugar 22 in. diam. bears S 76 E 23 lks. dist. &
	a Beech 12 " " " N 63 W 27 " "
	Level 2nd rate land, Beech, Ash, Sugar, Walnut, Bur
	Oak &c. underg. Spice, Ironwood &c.
East	On Rand. between Sec. 13 & 24
26.25	a Stream 10 lks. wide Course S. S. W.
40.00	Set temp. qr. Sec. post

T16 N—R11 E. 2nd. Mer. Indiana

ch. lks.	
80.75	Intersected the E. boundary 211 lks. S. of post Level 2nd. rate land, Beech, Ash, Sugar, Elm &c. undg. Spice, Hornbeam, Ash &c. June 9th. 1820

West	Corrected between Sec. 13 & 24
27.12	a Beech 26 in. diam.
40.37	Set qr. Sec. post at ~~at~~ average dist. from which a Dogwood 6 in. diam. bears S36W 17 lks. dist. & an Ironwood 6 " " " N32W3 " "
54.31	a Cottonwood 22 " "
80.75	to Sec. Corner.

North	Between Sec. 13 & 14
2.50	a Brook 8 lks. ~~dist. &~~ wide Course E. N. E.
17.44	a Beech 24 in. diam.
40.00	Set qr. Sec. post, at average dist. from which a Beech 13 in. diam. bears N23E 17 lks. dist. & a Buckeye 16 " " " West 1 link "
42.95	a Brook — lks. wide Course S. E.
61.22	a Sugar 16 in. diam.
80.00	Set post Cor. to Sec. 11, 12, 13 & 14, from which an Elm 24 in. diam. bears S74E 11 lks. dist. & a Beech 6 " " " N50W28 " " Land timber &c. Same as on the last mile

---

East	On Rand. between Sec. 12 & 13
31.90	a Brook 10 lks. wide Course S. E.
40.00	Set temp. qr. Sec. post
80.90	Intersected E. boundary 378 lks. S. of post Level rich 2nd. rate land, timber Beech, Ash, Elm, Sugar, Walnut, Buckeye, Br. Oak &c. undg. Spice, Prickly Ash &c.

West	Corrected between Sec. 12 & 13
21.13	a Beech 16 in. diam.
40.45	Set qr. Sec. post at average dist. from which

T16N R11E 2nd Mer. Indiana

Chs. lks.	
	a Beech 30 in. diam. bears N38W 11 lks. dist.
	a Do. 8 " " " S5W 31 " "
58.48	a Buckeye 20 " "
80.90	to Sec. Corner

North	Between Secs. 11 & 12
24.57	a Beech 16 in. diam.
39.60	a Muddy brook 10 lks. wide Course S.E.
40.00	Set qr. Sec. post, from which
	a Maple 24 in. diam. bears S72E 12 lks. dist.
	a Gray Ash 7 " " " N47W 43 " "
63.35	a Beech 22 " "
80.00	Set post Cor. to Secs. 1, 2, 11 & 12, from which
	a W. Oak 22 in. diam. bears N72W 23 lks. dist.
	a Beech 4 " " " S45E 18 " "
	Soil 2nd rate, land, Beech, Ash, Elm, Lynn, Walnut
	Sugar &c. undergr. Spice, ash &c

East	On Rand. between Secs. 1 & 12
38.54	a Muddy branch 8 lks. wide Course S.E.
40.00	Set temp. qr. Sec. post
58.65	a Stream 12 lks. wide Course S.E.
80.86	Intersected the E. boundary at 19 lks. S. of post
	Land, timber &c. same as on the last mile

West	Corrected between Secs. 1 & 12
19.93	a Cherrytree 8 in. diam.
40.43	Set qr. Sec. post at average dist. from which
	a W. Oak 18 in. diam. bears S25W 10 lks. dist.
	a Beech 6 " " " N2E 16 " "
61.41	a Beech 6 " "
80.86	to Sec. Corner

North	Between Secs. 1 & 2
19.33	an Elm 17 in. diam.
40.00	Set qr. Sec. post, from which

T16N—R11E. 2nd. Mer. Indiana

ch. lks.

a Beech 6 in. diam. bears N44W17 lks. dist. &
a Do. 13 " " " N44E7 " "
56.96 a Buckeye 12 " "
70.32 Intersected the N. boundary & set post corner to
Sec. 1 & 2, from which
a Beech 10 in. diam. bears N42W2 lks. dist. &
a Do. 14 " " " S28W10 " "
Land 2nd. rate, timber Beech, Ash, Elm, Walnut, Sugar
& Oak, Buckeye &c. Spice, Oak &c. June 10th. 1820

North Between Sec. 34 & 35
26.50 a Sycamore 54 in. diam.
40.00 Set q. sec. post, from which
a Beech 6 in. diam. bears N73W27 lks. dist. &
a W. Oak 24 " " " N30E31 " "
55.50 a Small pond offset 1.00 lks. East
59.00 fell into the line & left the pond
68.75 a Bur Oak 22 in. diam.
80.00 Set post cor. to Sec. 26, 27, 34 & 35, from which
a Sugar 14 in. diam. bears N28E7 lks. dist. &
a Do. 17 " " " N60W30 " "
Level wet land, timber B & G. Ash, Lynn, Bur &
W. Oak, Maple, Sugar, &c. undg.th, Spice, Ash,
Hornbeam &c.

East On Rand.m. between Sec. 26 & 35
40.00 Set tmp. q. sec. post
81.12 Intersected the N. & S. line 43 lks. S. of post
Level 2nd. rate land, timber same as on last mile

West Corrected between Sec. 26 & 35
20.53 a Sugar 16 in. diam.
40.56 Set q. sec. post, at average dist. from which
a Sugar 8 in. diam. bears N40W13 lks. dist. &
a W. Oak 56 " " " S10W15 " "
59.80 a Beech 17 " "

T16N—R11E. 2nd Mer. Indiana

chs. lks.	
81.12	to Section Corner

North	Between Secs. 26 & 27
28.88	a Sugar 23 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 8 in. diam. bears N43W 13 lks. dist. &
	a Sugar 32 " " " S23E 7 " "
60.08	a Hickory 14 " "
80.00	Set post Cor. to Secs. 22, 23, 26 & 27, from which
	a Hornbeam 6 in. diam. bears S46E 25 lks. dist. &
	a Gray Ash 20 " " " N70W 29 " "
	Land timber &c. same as on the last mile

East	On Rand. between Secs. 23 & 26
40.00	Set temp. qr. Sec. post
81.27	Intersected the N. & S. line 23 lks. S. of post
	Level 2nd rate land, timber Beech, Sugar, B. Gray & Blue Ash
	Lynn, Shellbark Hickory, Hornbeam &c. undg. Spice, Ironwood &c

---

West	Corrected between Secs. 23 & 26
21.90	a Beech 15 in. diam.
40.63	Set qr. Sec. post at average dist. from which
	a Beech 20 in. diam. bears S2W 11 lks. dist. &
	a do. 8 " " " North 28 " "
61.50	a Blue Ash 34 " "
81.27	to Sec. Corner

North	Between Secs. 22 & 23
21.62	a G. Ash 36 in. diam.
40.00	Set qr. Sec. post, from which
	a Hickory 6 in. diam. bears N43W 16 lks. dist. &
	a Buckeye 4 " " " S57E 19 " "
41.10	a Stream 10 lks. wide Course S. E.
70.03	a Lynn 32 in. diam.
80.00	Set post Cor. to Secs. 14, 15, 22 & 23, from which
	an Elm 24 in. diam. bears S57W 6 lks. dist. &

T 16 N R 11 E. 2nd Mer. Indiana

Ch. Lks.

an Elm 23 in. diam. bears N 61 E 28 lks. dist. &
Level 2nd rate land, Beech, Ash, of various kinds, large W. Oak, Lynn, Hickory, Sugar &c. Spice, Ash &c. undergth

East	On Rand. between Secs. 14 & 23
40.00	Set qr. Sec. post temp.
81.34	Intersected the N & S. line 14 lks. S. of post
	Land timber &c. Same as on the last mile

West	Corrected between Secs. 14 & 23
27.61	a Beech 23 in. diam.
40.67	Set qr. Sec. post at average dist. from which
	a Bur Oak 28 in. diam. bears S 29 E 21 lks. dist. &
	a Hickory 16 " " " N 89 W 20 " "
68.47	a Shellbark Hickory 20 in. diam.
81.34	to Sec. Corner

North	Between Secs. 14 & 15
24.42	a Sugartree 18 in. diam.
40.00	Set qr. Sec. post from which
	a Beech 24 in. diam. bears N 87 E 22 lks. dist. &
	a Do 6 " " " N 80 W 8 " "
55.00	Cut East Margin of a Small pond
60.44	a Beech 14 in. diam.
80.00	Set post Cor. to Secs. 10, 11, 14 & 15, from which
	a Beech 18 in. diam. bears N 40 E 15 lks. dist. &
	a Do. 14 " " " S 17 W 15 " "
	Land timber &c. Same as on the last mile

East	On Rand. between Secs. 11 & 14
40.00	Set temp. qr. Sec. post
81.47	Intersected the N & S. line 3 lks. N. of post
	Level rich 2nd rate land, Beech, Ash, Sugar, Elm, Lynn &c. undergth Spice, Ash &c.

West	Corrected between Secs. 11 & 14

T16 N R11 E. 2d Mer. Indiana

ch. lks.	
19.05	a Beech 16 in. diam.
40.73	Set qr. Sec. post, at average dist. from which
	a Beech 16 in. diam. bears S13W 9 lks. dist.
	a Do 5 " " " N4E 18 " "
59.20	a Beech 17 " "
81.47	to Sec. Corner
North	Between Secs. 10 & 11
19.03	an Elm 56 in. diam. E. diagonal notch
40.00	Set qr. Sec. post, from which
	a Sugar 4 in. diam. bears N88W 11 lks. dist.
	a Do 4 " " " S32E 14 " "
62.93	a Beech 20 " "
80.00	Set post Cor. to Secs. 2, 3, 10 & 11 from which
	a Sugar 12 in. diam. bears N66W 27 lks. dist.
	a Beech 22 " " " S52E 8 " "
	Land timber &c Same as on the last mile
East	On Randm. between Secs. 2 & 11
40.00	Set qr. Sec. post temporarily
81.64	Intersected the N & S. line 5 lks N. of post
	Land timber &c. Same as on the last mile
West	Corrected between Secs. 2 & 11
19.40	a Sugar 13 in. diam.
40.82	Set qr. Sec. post at average dist. from which
	a Beech 24 in. diam. bears N61W 11 lks. dist.
	a Dogwd. 4 " " " S36W 5 " "
56.61	a Beech 8 " "
81.64	to Sec. Corner.
North	Between Secs. 2 & 3
17.95	a Gray Ash 27 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 18 in. diam. bears N24W 14 lks. dist.
	a Hickory 18 " " " S85E 17 " "

T16 S R11 E. 2nd Mer. Indiana

Ch. lks.	
58.20	a Lynn 16 in. diam.
70.80	Intersected N. boundary, Set post, from which
	a Beech 6 in. diam. bears S14°W13 lks. dist. &
	a B. Ash 18 " " " S58°E25 " "
	Level 2nd rate land, timber Beech, Ash, Hickory,
	Sugar, Elm &c. undergr. Spice, Ash, Hornbeam &c.
	June 13th. 1820

North	Between Secs. 33 & 34
23.15	a W. Oak 36 in. diam.
40.00	Set qr. Sec. post, from which
	a B. Ash 18 in. diam. bears N42°E 9 lks. dist. &
	a Bur. Oak 24 " " " S62°W27 " "
59.96	a Maple 18 " "
80.00	Set post Cor. to Secs. 27, 28, 33 & 34, from which
	a Bur. Oak 22 in. diam. bears N67°E 26 lks. dist. &
	a Beech 16 " " " S82°W25 " "
	Land timber &c. same as on the last mile

East	On Rand. between Secs. 27 & 34
38.50	a Pond — offset 200 lks. North
40.00	reduce offset & set temp. qr. Sec. post on edge of pond
41.00	leave the Pond
80.74	Intersected the N. & S. line 57 lks. S. of post
	Land timber &c. same as on the last mile

West	Corrected between Secs. 27 & 34
19.03	a Gray Ash 20 in. diam.
40.37	Set qr. Sec. post at average dist. from which
	an Elm 14 in. diam. bears N47°W4 lks. dist. &
	a Maple 17 " " " S47°E48 " "
60.14	a Poplar 24 " "
80.74	to Sec. Corner.

North	Between Secs. 27 & 28
19.72	a Bur Oak 24 in. diam.

T16N—R11E. 2nd. Mer. Indiana

Chs. lks.	
40.00	Set q. Sec. post from which
	a Hickory 5 in. diam. bears S74W11 lks. dist. &
	a Hornbeam 4 " " " S80E15 " "
56.64	a Beech 44 " "
80.00	Set post Cor. to Sec. 21, 22, 27 & 28, from which
	a Beech 3 in. diam. bears N87E5 lks. dist. &
	a Do. 6 " " " S33W13 " "
	Level 2nd. rate land, B & Gray Ash, Beech, Sym
	Pin Oak, Walnut, Sugar &c, undergr. Spice Ash,
	Hornbeam &c

East	On Rand. between Sec. 22 & 27
40.00	Set stmp. q. Sec. post
80.64	Intersected the N & S. line 27 lks. S. of post
	Land timber &c. same as on the last mile

West	Corrected between Sec. 22 & 27
21.02	a Beech 14 in. diam.
40.32	Set q. Sec. post at average dist. from which
	a W. Oak 22 in. diam. bears S31W22 lks. dist. &
	a Beech 18 " " " N1W23 " "
60.61	a Sugar 26 " "
80.64	to Sec. Corner.

North	Between Sec. 21 & 22
18.86	a Beech 17 in. diam.
40.00	Set q. Sec. post, from which
	a Beech 15 in. diam. bears S74W3 lks. dist. &
	a Do. 20 " " " N31E14 " "
58.73	a Beech 17 " "
80.00	Set post Cor. to Sec. 15, 16, 21 & 22, from which
	a Sycamore 80 in. diam. bears N11E14 lks. dist. &
	a Sym 22 " " " S60W38 " "
	Land timber &c. same as on the last mile

East	On Rand. between Sec. 15 & 22

T16N R11E 2nd Mer. Indiana

chs. lks.
19.50 a Branch 10 lks. wide Course S.E.
40.00 Set temp. qr. Sec. post
80.52 Intersected the N & S. line 22 lks. S. of post
Beautiful high rich 2nd rate land, timber, Sugar, Blue & Gray Ash, Hickory, Elm, Walnut, W. Oak &c. underg.th Spice & Ash June 14th. 1820

West Corrected between Sec.s 15 & 22
20.64 a Gray Ash 40 in. diam.
40.26 Set qr. Sec. post at average dist. from which
a Beech 16 in. diam. bears N10E 15 lks. dist. &
a Do. 18 " " " S33W 29 " "
60.88 a Beech 24 " "
80.52 to Sec. Corner.

North Between Sec.s 15 & 16
22.98 a Sugar 12 in. diam.
40.00 Set qr. Sec. post, from which
a Dogwood 5 in. diam. bears N75E 28 lks. dist &
an Ironwood 6 " " " S38W 16 " "
66.07 a Beech 17 " "
80.00 Set post Cor. to Sec.s 9, 10, 15 & 16, from which
a Beech 17 in. diam. bears S47E 25 lks. dist. &
a Hickory 24 " " " N61W 38 " "
Land level 2nd rate Beech, Ash, Sugar, Elm, Syc. &c. underg.th Spice, Ash &c

---

East On Rand.m between Sec.s 10 & 15
40.00 Set temp. qr. Sec. post
80.26 Intersected the N & S. line 32 lks. S. of post
Land timber &c. same as on the last mile

West Corrected between Sec.s 10 & 15
17.27 a Sugar ~~17~~ 23 in. diam.
40.13 Set qr. Sec. post at average dist. from which
a Beech 28 in. diam. bears N38W 16 lks. dist. &

T16 N—R11 E. 2nd Mer. Indiana

chs lks	
	a Sugar 12 in. diam. bears S61 E 20 lks. dist. &
64.09	an Elm 20 " "
80.26	to Sec. Corner

North	Between Secs. 9 & 10
3.50	enter an Old Windfall
20.84	a Beech 8 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 5 in. diam. bears S83 W 27 lks. dist. &
	an Iron w. 5 " " " N67 E 13 " "
44.00	leave Old windfall
64.11	a Beech 32 in. diam.
80.00	Set post Cor. to Secs. 3, 4, 9 & 10, from which
	a Hickory 20 in. diam. bears S5 W 14 lks. dist. &
	a B. Ash 10 " " " N21 E 19 " "
	Land timber &c. Same as on the last mile

East	Between Secs. 3 & 10 on Rand.
40.00	Set temp. qr. Sec. post
80.08	Intersected the N & S. line 10 lks. S. of post
	Level 2nd rate land, timber B. & Gray Ash, Beech
	Sugar, Elm, large W & Bur Oak, Maple &c. undg.
	Spice Ash Elm, Hornbeam &c.
	last ¼ mile dry rich land 1st ¼ wet & swampy

West	Connected between Secs. 3 & 10
18.52	a Beech 19 in. diam.
40.04	Set qr. Sec. post at average dist. from which
	a Beech 32 in. diam. bears S 9 W 18 lks. dist. &
	a Ho. 5 " " " N 28 W 17 " "
57.82	a Bur Oak 15 " "
80.08	to Sec. Corner

North	Between Secs. 3 & 4
23.31	a Gray Ash 22 in. diam.
40.00	Set qr. Sec. post, from which

T16N R11E. 2nd Mer. Indiana

ch. lks.	
	an Elm 6 in. diam. bears N59W3 lks. dist. &
	a Do. 14 " " " N77E7 " "
61.96	a Sugar 6 " "
70.23	Intersected N. boundary — no corresponding corner found; set post cor. to Sec. 3 & 4, from which
	a B. Ash 10 in. diam. bears S42W15 lks. dist. &
	a Beech 17 " " " S77E15 " "
	Level wet 2nd rate land, timber B & Gray Ash, Beech, Elm, Shellbark Hickory Sugar &c. undg. Spice, Ash, Hornbeam &c. June 15th 1820

North	Between Sec. 32 & 33
20.00	a B. Ash 26 in. diam.
40.00	Set q. Sec. post, from which
	a Beech 15 in. diam. bears N6W15 lks. dist. &
	a Gray Ash 23 " " " S18E7 " "
60.22	a Beech 18 " "
80.00	Set post cor. to Sec. 28, 29, 32 & 33, from which
	an Ironwood 4 in. diam. bears N63W3 lks. dist. &
	a Beech 38 " " " S65E10 " "
	Level rich 2nd rate land, timber B. Blue & Gray Ash, Beech, Sugar, Elm Buckeye, Walnut &c. undg. Spice, ash, Ironwood &c.

East	On Rand. between Sec. 28 & 33
40.00	Set stone q. Sec. post
64.50	a Stream 10 lks. wide Course S.S.W
76.09	a Muddy branch 6 lks. wide Course S.W.
80.77	Intersected the N & S. line 46 lks. S. of the Corner
	Level 2nd rate land, timber, B. Blue & Gray Ash, Beech, Bur. Oak, Sugar, Elm, Hickory &c. undg. Spice ash, Elm, Ironwood, Hornbeam &c.

West	Corrected between Sec. 28 & 33
15.47	a Beech 22 in. diam.
40.38	Set q. Sec. post at average dist. from which

T16N R11E. 2nd Mer. Indiana

Ch. lks.	
	a Beech 24 in. diam. bears N19W11 lks. dist. &
	a do. 14 " " " N45W22 " "
60.82	a Br. Oak 27 " "
80.77	to Sec. Corner

North	Between Secs. 28 & 29
23.35	a W. Oak 15 in. diam.
40.00	Set qr. Sec. post, from which
	a Blue Ash 16 in. diam. bears N40E4 lks. dist. &
	a Beech 6 " " " S82W20 " "
63.86	a Sycamore 30 " "
80.00	Set post Cor. to Secs. 20, 21, 28 & 29, from which
	a Sugar 12 in. diam. bears N64E11 lks. dist. &
	a Beech 20 " " " S56W18 " "
	Level 2nd rate land, part dry, part wet, timber Black & Gray Ash, Beech, Sugar, Elm, Br. Oak, Sycm., Walnut &c. — undergr. Spice, Ash, Hornbeam, Buckeye Ironwood &c.

East	On Rand. between Secs. 21 & 28
40.00	Set temp. qr. Sec. post
80.56	Intersected the N & S. line 52 lks. ~~dist~~ South of post
	Level 2nd rate land, timber Beech, Ash, of various kinds, Sugar, Elm, Sycm &c.

West	Corrected between Secs. 21 & 28
17.56	a Beech 14 in diam.
40.28	Set qr. Sec. post at average dist, from which
	a Hornbeam 13 in. diam. bears N55W18 lks. dist. &
	a Beech 15 " " " S22W21 " "
60.90	a Beech 15 " "
80.56	to Sec. Corner

North	Between Secs. 20 & 21
21.36	a Beech 16 in. diam.
40.00	Set qr. Sec. post, from which

T16 N R11 E. 2nd Mer. Indiana

chs. lks.	
	a Beech 22 in. diam. bears N67E 15 lks. dist. &
	a Do. 18 " " " S58W 28 " "
58.85	an Ash 24 " "
80.00	Set post Cor. to Secs. 16, 17, 20 & 21, from which
	a Beech 20 in. diam. bears N50W 2 lks. dist. &
	a Gray Ash 30 " " " South 2 " "
	Level 2nd rate land timber Beech, Ash, Sugar, W. Oak
	Elm, Sycamore &c. undergth Spice, Ash, Ironwood
	Elm, Hornbeam &c.
East	On Rand. between Secs. 16 & 21
40.00	Set temp. qr. Sec. post
80.44	Intersected the N & S. line 58 lks. S. of post
	Level 2nd rate land, timber Beech, Ash of various
	kinds, Bur & W. Oak, Sugar, Elm &c. undergth. Spice
	Ironwood, Hornbeam &c. June 16th 1820
West	Corrected between Secs. 16 & 21
17.00	a Bur Oak 30 in. diam.
40.22	Set qr. Sec. post at average dist. from which
	a Beech 18 in. diam. bears S51W 6 lks. dist. &
	a G. Ash 18 " " " N64E 21 " "
58.65	a Beech 12 " "
80.44	to Sec. Corner
North	Between Secs. 16 & 17
6.00	a Pond offset 150 lks. West
9.50	reduced offset and left pond
23.25	a Beech 22 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 17 in. diam. bears N15E 11 lks. dist. &
	a Do. 7 " " " S62W 7 lks. "
51.00	enter Old windfall
61.29	a Cherrytree 13 in. diam.
74.00	leave Windfall
80.00	Set post Cor. to Secs. 8, 9, 16 & 17, from which

T16 N R11 E. 2d. Mer. Indiana

Chs. Lks.	
	a Br. Oak 20 in. diam. bears S87 E 24 lks. dist. &
	an Elm 24 " " " S48 W 28 " "
	Level wet 2d. rate land, timber B. & G. Ash, Elm,
	Bur Oak, Maple, Cherry, W. Walnut &c. undergth.
	Ash, Spice, Hornbeam &c.
East	On Random between Secs. 9 & 16
9.00	Cut the N. margin of a small pond & enter windfall
40.00	Set temp. qr. Sec. post
61.00	leave windfall
80.23	Intersected the E. boundary 62 lks. S. of post
	Level 2d. rate land, timber Ash, Beech, Elm,
	Buckeye, Cherry, W. Walnut, Sycm &c. undergth.
	Spice, Ash, Hornbeam, Elm &c.
West	Corrected between Secs. 9 & 16
18.18	a W. Oak 14 in. diam.
40.11	Set qr. Sec. post, at average dist. from which
	a Sugar 16 in. diam. bears N65 E 11 lks. dist. &
	an Elm 2½ " " " N20 E 13 " "
59.56	an Elm 8 " "
80.23	to Sec. Corner
North	Between Secs. 8 & 9
22.84	a Sugar 15 in. diam.
40.00	Set qr. Sec. post, from which
	a Sugar 18 in. diam. bears N58 E 26 lks. dist. &
	a Beech 14 " " " S62 W 16 " "
63.30	a Sugar 10 " "
80.00	Set post Cor. to Secs. 4, 5, 8 & 9, from which
	a Beech 18 in. diam. bears S86 W 13 lks. dist. &
	a Do. 22 " " " S79 E 23 " "
	First ½ mile level wet 2d. rate. Second half mile level
	rich 2d. rate land, timber B & G. Ash, Beech, Sugar
	Elm, Sycm, Walnut &c., undergth. Spice, Ash
	Hornbeam &c

T 16 N R 11 E 2d Mer. Indiana

Chs. lks.	
East	On Rand.m between Secs. 4 & 9
40.00	Set temp.y qr. Sec post
80.11	Intersected the N & S. line 64 lks. S. of post
	First 1/2 mile level dry 2d rate last 1/2 mile wet swampy 2d rate land, timber Beech, B & G. Ash Shellbark Hickory, Maple, Sugar, Elm &c. underg.th Spice, Ash

West	Corrected between Secs. 4 & 9
17.57	a Maple 20 in. diam.r
40.05	Set qr. Sec. post at average dist, from which
	a Beech 24 in. diam.r bears S 46 W 28 lks. dist. &
	a Hickory 7 " " " N 51 E 17 " "
51.75	a Maple 17 " "
80.11	to Sec. Corner

North	Between Secs. 4 & 5
22.44	a Sycamore 28 in. diam.r
40.00	Set qr. Sec. post, from which
	a Beech 32 in. diam.r bears S 86 E 17 lks. dist. &
	a Do. 22 " " " N 47 W 39 " "
53.33	a Lynn 16 " "
70.96	Intersected N. boundary no corresponding Cor. found on Correction line, Set post Cor. to Secs. 4 & 5 from which
	a Sugar 10 in. diam.r bears N 89 W 8 lks. dist. &
	a Do. 5 " " " S 58 E 32 " "
	Level 2d rate land, timber Beech, Ash, Elm, Sugar, Hickory Lynn, Sycamore &c. underg.th Spice Ash, Hornbeam, Buckeye &c. June 17th. 1820

North	Between Secs. 31 & 32
0.55	a Stream 14 lks. wide Course S. W.
24.13	a Beech 22 in. diam.r
40.00	Set qr. Sec. post, from which
	a Beech 16 in. diam.r bears N 33 W 29 lks. dist. &

T16N—R11E. 2nd Mer. Indiana

Ch. Lks.	
	an Elm 4 in. diam. bears N71E13 lks. dist. of
64.96	a Buckeye 19 in. diam.
80.00	Set post Cor. to Sec. 29, 30, 31 & 32, from which
	a Beech 10 in. diam. bears N19W16 lks. dist. of
	a do. 10 " " " S60E27 " "
	Level 2nd rate land, timber Beech, Ash, Sugar
	Elm, W. Oak, Buckeye, Sycm &c. undergr.
	Spice ash, Elm, Hornbeam, Ironwood &c.
East	On Range, between Sec. 29 & 32
40.00	Set temp. q. Sec. post
54.70	the Channel of a Brook 8 lks. wide Cr. S.W.
80.62	Intersected the N. & S. line at the post
	Level 2nd rate land, timber Beech, Sugar, Ash,
	Elm, Sycm, W. Oak &c. undergr. Spice Ash,
	Dogwood, Hornbeam, Ironwood &c.
West	Corrected between Sec. 29 & 32
14.97	a Beech 14 in. diam.
40.31	Set q. Sec. post, from which (at avg. dist.)
	a Sugar 36 in. diam. bears S21W11 lks. dist. of
	a Beech 6 " " " N4E13 " "
60.37	a Gray Ash 20 in. diam.
80.62	to Sec. corner.
West	Between Sec. 30 & 31
18.39	a Beech 18 in. diam.
40.00	Set q. Sec. post, from which
	a Beech 6 in. diam. bears S4W15 lks. dist. of
	a do. 13 " " " N79W11 " "
59.35	Intersected W. Boundary 44 lks. S. of post
	Set post Cor. to Sec. 30 & 31, from which
	an Elm 10 in. diam. bears S80E11 lks. dist. of
	a Beech 12 " " " N22E25 " "
	Level 2nd rate land, timber Beech, Ash, Buckeye
	Elm, Walnut large W. Oak &c., undergr. Spice

T16N—R11E. 2nd. Mer. Indiana

ch. lks.	Ash, Elm, Ironwood, Hornbeam &c.
North	Between Secs. 29 & 30
31.22	a Beech 18 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 17 in. diam. bears S86E 21 lks. dist. &
	a do. 12 " " " N71W 31 " "
66.01	a Beech 18 " "
80.00	Set post Cor. to Secs. 19, 20, 29 & 30, from which
	a Beech 18 in. diam. bears N57W 14 lks. dist. &
	a do. 23 " " " N85E 29 " "
	Level 2nd. rate land, timber Beech, Ash, Elm
	Sugar &c. undergr. Spice, Hornbm, Ironwood &c
East	On Rand. between Secs. 20 & 29
40.00	Set temp. qr. Sec. post
80.49	Intersected E. boundary 16 lks. S. of post
	Level 2nd. rate land, timber, Beech, ash, Sugar,
	Elm, Walnut, large W. Oak &c, undergr. Spice
	Ash, Elm, Hornbeam, Ironwood, Buckeye &c
	June 19th. 1820
West	Corrected between Secs. 20 & 29
19.57	a Beech 19 in. diam.
40.24	Set qr. Sec. post at average dist. from which
	a Beech 13 in. diam. bears N10W 25 lks. dist. &
	a Dogwd. 4 " " " S59E 21 " "
58.59	a Gray Ash 20 " "
80.49	to Sec. Corner.
West	Between Secs. 19 & 30
20.07	a Beech 24 in. diam.
40.00	Set qr. Sec. post, from which
	a Bur Oak 30 in. diam. bears S33W 11 lks. dist. &
	a Beech 6 " " " N46E 7 " "
40.25	a Brook 12 lks. wide Corner S.S.W.

T16N R11E. 2nd Mer. Indiana

ch. lks	
60.38	Intersected W. boundary 90 lks. S. of post Set post Cor. to Secs. 19 & 30, from which a Beech 18 in. diam. bears N38E 51 lks. dist. & a Do. 18 " " " S28E 16 " " Part level, part rolling 2nd rate land, timber Beech, Ash, Sugar, large W. Oak, Hickory Buckeye &c. underg. Spice, Ash, Hornbeam Ironwood &c.
North	Between Secs. 19 & 20
21.91	an Elm 20 in. diam.
40.00	Set qr. Sec. post, from which a Beech 14 in. diam. bears S83W 5 lks. dist. & a Sugar 6 " " " S31E 5
59.32	a Gray Ash 50 in. diam.
80.00	Set post Cor. to Secs. 17, 18, 19 & 20, from which a Hickory 22 in. diam. bears N50W 2 lks. dist. & a Hornbeam 6 " " " S20E 5 Level 2nd rate land, timber Beech, B. & Gray Ash Sugar, Hickory large W. Oak, Sym., Hornbeam &c underg. Spice, Ash, Ironwood &c.
East	On Rand. between Secs. 17 & 20
40.00	Set temp. qr. Sec. post
79.97	Intersected the N & S. line 6 lks. S. of post Level 2nd rate land, timber, Beech, Ash, Sugar Elm, Maple, W. Oak, Shellbark Hickory, Hornbeam &c. underg. Spice, Dogwd. & Ironwood.
West	Corrected between Secs. 17 & 20
22.21	a Beech 24 in. diam.
39.98	Set qr. Sec. post at average dist. from which an Ironwood 5 in. diam. bears N5W 14 lks. dist. & a Hornbeam 5 " " " S10E 8 " "
58.49	a Maple 17 " "
79.97	to Sec. Corner

Comp.

T16N R11E, 2nd Mer. Indiana

ch. lks.	
West	Between Sec. 18 & 19
26.72	a Sugar 17 inches diameter
40.00	Set qr. Sec. post, from which
	a Sugar 7 in. diam., bears S60W13 lks. dist. &
	a Do. 6 " " " N51E9 " "
49.33	a Beech 26 " "
60.49	Intersected W. boundary 123 lks. S. of post
	Set post Cor. to Sec. 18 & 19, from which
	a Sugar 6 in. diam., bears N77E13 lks. dist. &
	a Beech 28 " " " S23E39 " "
	Level 2nd rate land, timber Beech, Ash, Sugar,
	Elm, W. Oak &c. undergr. Spice, Dogwood
	Ironwood, Hornbeam &c.

North	Between Sec. 17 & 18
13.00	enter Old windfall
31.47	a Beech 18 in. diam.
40.00	Set qr. Sec. post, from which
	a Sugar 14 in. diam., bears N40W12 lks. dist. &
	a Mulberry 6 " " " N32E15 " "
45.00	leave Old windfall
62.88	a Sugar 15 in. diam.
80.00	Set post Cor. to Sec. 7, 8, 17 & 18, from which
	a Beech 6 in. diam., bears N86E28 lks. dist. &
	a Do. 23 " " " N57W10 lks. dist.
	Level 2nd rate land, timber Beech, Sugar, Elm,
	Ash, Hickory, W. Oak &c. undergr. Spice, Hickory,
	Grape vines, Elm, Hornbeam, Ironwood, Buckeye &c.

East	On Land on between Sec. 8 & 17
40.00	Set temp. qr. Sec. post
79.99	Intersected the N & S. line 3 lks. N. of post
	Level 2nd rate land, timber Ash, Sugartree, Elm,
	Beech, Maple, Bur Oak, Hornbeam &c.
	undergr. Spice, Ash, Hornbeam, Ironwood &c.

T16 N—R11 E. 2nd Mer. Indiana

ch. lks	
West	Connected between Sec. 8 & 17
18.50	a Beech 16 in. diam.
39.99	Set q. Sec. post at average dist. from which
	a Beech 20 in. diam. bears N 72 E 17 lks. dist. &
	a Sugar 6 " " " N 4 E 16 " "
58.42	a Buckeye 10 " "
79.99	to Sec. Corner.

West	Between Sec. 7 & 18
17.49	a Beech 10 in. diam.
40.00	Set q. Sec. post, from which
	a Sugartree 5 in. diam. bears N 70 W 11 lks. dist. &
	a Hornbeam 10 " " " S 56 E 27 " "
54.86	a Buckeye 16 " "
60.95	Intersected W. boundary 144 lks. S. of post
	Set a post Cor. to Sec. 7 & 18, from which
	a Sugar 14 in. diam. bears S 74 E 9 lks. dist. &
	a Buckeye 5 " " " N 44 E 14 " "
	Rolling rich 2nd rate land, timber, Sugar, Ash,
	Beech, Walnut, Elm &c. Undergr. Spice, Ash,
	Elm, Buckeye &c. June 20th 1820

North	Between Sec. 7 & 8
29.61	a Beech 14 in. diam.
40.00	Set q. Sec. post, from which
	a Sugar 10 in. diam. bears N 46 E 12 lks. dist. &
	an Elm 4 " " " S 26 W 9 " "
67.05	a Beech 22 " "
80.00	Set post Cor. to Sec. 5, 6, 7 & 8, from which
	an Elm 50 in. diam. bears N 40 W 27 lks. dist. &
	a Sugar 16 " " " S 68 E 17 " "
	Part rolling & part level 2nd rate land, timber
	Beech, Ash, Elm, Sugar, Buckeye &c. undgr.
	Spice, Ash, Hornbeam, Chiny, Ironwood &c.

East	On Rand. between Sec. 5 & 8

T16N—R11E. 2nd Mer. Indiana

Ch. lks.
4.00 the Channel of a Branch 12 lks. wide Cs. W.N.W.
40.00 Set temp. q. Sec. post
79.92 Intersected the N. & S. line 26 lks. S. of post
First ¼ mile rolling — 2nd half mile, Level 2nd rate land, timber Beech, Sugar, Ash, Elm, large White Oak Poplar, Walnut &c., undergr. Spice, Ash, Ironw. &c

---

West Corneted between Secs. 5 & 8
23.79 a Beech 20 in. diam.
39.96 Set q. Sec. post at average dist. from which
a Sugar 16 in. diam. bears S27W 11 lks. dist. &
a Do. 18 " " " N27E 31 " "
60.41 a Beech 22 " "
79.92 to Sec. Corner.

West Between Secs. 6 & 7
10.50 the Channel of a Stream 10 lks. wide Cs. S.W.
16.72 a B. Ash 19 in. diam.
40.00 Set q. Sec. post, from which
a B. Walnut 22 in. diam. bears S48E 19 lks. dist. &
a Plum bush 3 " " " N62W 23 " "
43.50 a Stream 50 lks. wide Cs. S.S.W. Supposed to be Flat rock
60.95 Intersected W. boundary 196 lks. S. of post
Set post Cor. to Secs. 6 & 7, from which
a Buckeye 12 in. diam. bears S42E 28 lks. dist. &
a Hickory 6 " " " N82E 17 " "
Level 2nd rate land, timber B & Gray Ash, Sugar, Beech, Sycamore, Walnut &c. undergr. Spice Hazel, Prickly Ash, Buckeye, Hornbeam, Ironwood &c.

North Between Secs. 5 & 6, T16N. R11E.
2.50 the Channel of a Brook 12 lks. wide Cs. W.S.W.
25.84 a Gray Ash 28 in. diam.
40.00 Set q. Sec. post, from which
a Beech 23 in. diam. bears N81E 9 lks. dist. &

T16 N_R 11 E. 2nd Mer. Indiana

chs. lks.	
	a Gray Ash 17 in. diamr. bears N40 W16 lks. dist.
49.15	a Beautiful Spring branch Course West
54.43	a Sugar 20 in. diamr.
71.05	Intersected N. boundary_ no Corresponding Corner found on the Correction line Set Post Cor. to Secs. 5 & 6. from which a Plumbush 4 in. diamr. bears S82 W10 lks. dist. & a Hornbeam 10 " " " N68 E10 "
	Level 2nd rate land, timber Gray & Blue Ash, Walnut, Beech, Sugar, Bur Oak, Buckeye, Elm &c. underg th. Spice &c. June 21st 1820

Thomas Brown
Deputy Surveyor

I certify that the foregoing transcript of field notes of Township 16 North, Range 11 East 2nd Princip l. Meridian, Indiana, has been Compared with the Original notes in this Office, and found to be Correct.

Surveyor General's Office }
Cincinnati, Oct. 3d. 1844 }

William Johnston
Surveyor General